



Product Catalog

Class 9 Cargo Securement and Storage Systems

"Logistical Support to the Last Tactical Mile"



Scan for Digital Catalog



PIKES PEAK CARGO SECURE, INC.

31 N Tejon St.
Suite 200
Colorado Springs, CO 80903
(719) 330-4766

brad.brackel@ppcsinc.com
<http://www.ppcsinc.com/product-catalogue>
www.facebook.com/ppcsinc
<https://www.instagram.com/ppcs.inc/>

CAGE Code: 3CVN2

**April 30, 2025
Volume 24, Issue 2**

A Service-Disabled Veteran-Owned Small Business

***Winner of the DLA Outstanding Readiness Support Award for
Service Disabled, Veteran-Owned Small Business.***



Table of Contents

Organized by Product Type

<u>P/N</u>	<u>Class 9 NSN Products</u>	<u>Page</u>
Company History and Overview		4
<u>Cargo Strap-Tie-down Systems</u>		
001 - MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH		5
002 - HUM VATTS® CARGO STRAP TIE-DOWN 1 INCH		6
003 - HUM VATTS® RATCHET STRAP 1 INCH X 14 FOOT		7
006 - MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FOOT		8
007 - VATTS® BAG STORAGE FOR KITS SMALL		9
008 - HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH		10
009 - MIL VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH		11
010 - HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH		12
011 - MIL VATTS® 1 ¾ INCH SAC KIT LARGE		13
012 - VERSA VATTS® STRAP & CHAIN TIE-DOWN KIT 2 INCH		14
013 - VERSA VATTS® STRAP & CHAIN TIE-DOWN KIT 4 INCH		15
014 - E-TRACK KIT WITH CLIPS		16
015 - VATTS® STRAPPING KIT FOR 20 FOOT MILVAN		17
016 - VATTS® STRAPPING & E-TRACK KIT FOR 20 FOOT MILVAN		18
017 - CONTAINER, E-TRACK 30 INCH SECTIONS 16 EACH		19
018 - CONTAINER, E-TRACK CLIP 6,000 LBS BREAKSTRENGTH		20
019 - CARGO/AMMO BELT (12-INCH-WIDE x 155 INCH LONG)		21
020 - CARGO TIE-DOWN CABLE (30,000 LBS BREAK STRENGTH)		22
029 - SPIDER VATTS® - 8 LEG STRAP SYSTEM 1 INCH		28
030 - SPIDER VATTS® - 8 LEG STRAP SYSTEM 1 ¾ INCH		29
031 - CARGO/AMMO BELT (3-INCH-WIDE x 108 INCH LONG)		30
032 - CARGO/AMMO BELT (6-INCH-WIDE x 108 INCH LONG)		30
033 - VATTS® STRAPPING & LIFTING SYSTEM KIT 1 INCH		31
034 - VATTS® STRAPPING & LIFTING SYS KIT 1 ¾ INCH		32
035 - VERSA VATTS® STRAP & CHAIN TIE-DOWN KIT 3 INCH		35
036 - VATTS® BAG STORAGE FOR KITS LARGE		34
037 - VERSA VATTS® STRAP & CHAIN TIE-DOWN 2 INCH SNAP HOOK		35
038 - MONO VATTS® RATCHET STRAP 2 INCH X 27 FOOT		38
039 - MULTI VATTS® TIE-DOWN WITH 2 RATCHETS 1 INCH		37
040 - MULTI VATTS® TIE-DOWN WITH 2 RATCHETS 2 INCH		38
041 - MONO VATTS® TIE-DOWN WITH 1 RATCHET 1 INCH		39
042 - 1 INCH x 6 FOOT LEAD WITH 1 INCH SNAP HOOK		40
043 - 1 INCH x 12 FOOT LEAD WITH 1 INCH SNAP HOOK		40
044 - 1 INCH x 20 FOOT LEAD WITH 1 INCH SNAP HOOK		40
045 - HUM VATTS® TIE-DOWN 1 INCH SHORT WITH 1 INCH SNAP HOOK		41
046 - HUM VATTS® TIE-DOWN 1 INCH SHORT WITH 2 INCH SNAP HOOK		42
047 - MIL VATTS® TIE-DOWN 1 3/4 INCH SNAP HOOK WITH 2 INCH SNAP HOOK		43
048 - POLY LOOP ANCHOR 13,000 LBS BREAK STRENGTH		44
049 - CHAIN ANCHOR MASTER LINK 20,000 LBS BREAK STRENGTH		45
050 - CHAIN ANCHOR GRAB HOOK 20,000 LBS BREAK STRENGTH		46
058 - SLING 4 LEG ADJUSTABLE 8 HOOKS		59
059 - SLING 4 LEG NON-ADJUSTABLE 4 HOOKS		60
062 - VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH G70 WITH MASTER LINK		63
063 - VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH G70 WITH GRAB HOOK		64
108 - G-100 CHAIN CONTAINER TIE-DOWN AND LIFT KIT		74
112 - 1 INCH MRAP RATCHET STRAP		76
113 - 1 ¾ INCH MRAP RATCHET STRAP		77



<u>P/N</u>	<u>Class 9 NSN Products</u>	<u>Page</u>
<u>Cargo Strap-Tie-down System Accessories</u>		
021 - STRAP PROTECTOR 2 INCH CORDURA SLEEVE.....		23
022 - STRAP PROTECTOR 3 INCH CORDURA SLEEVE.....		23
023 - STRAP PROTECTOR 4 INCH CORDURA SLEEVE.....		23
024 - STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO		24
025 - STRAP PROTECTOR 4 INCH NYLON SLEEVE		25
026 - STRAP PROTECTOR 2 INCH POLYPAD (HEAVY DUTY)		26
027 - STRAP PROTECTOR 4 INCH POLYPAD (HEAVY DUTY)		26
028 - MOLDED PLASTIC CORNER PROTECTOR.....		27
<u>Cargo Containers</u>		
069 - FOOTLOCKER (LOC-FICCS™) - DESERT TAN		65
<u>Cargo Container Systems</u>		
054 - TL-FICCS™ 48/40/30 INCH STACKABLE COLLAPSIBLE		51
075 - LOC-FICCS™ KIT - DESERT TAN		66
100 - A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE		69
101 - CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE		70
114 - FICCS™ PLASTIC PALLET KIT		78
<u>Cargo Container Systems Accessories</u>		
103 - PROTECTIVE PALLET COVER KIT HEAVY DUTY FOR PALLETIZED SUPPLIES		71
105 - TL-FICCS™ LINER KIT		72
107 - AL-FICCS™ LINER KIT		73
<u>Mobile Shelter/Industrial Furniture Systems</u>		
055 - SHELTER SYSTEM PROTECTIVE COLLAPSIBLE 15 x 15 FOOT		56
081 - COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT LARGE - DESERT TAN		67
087 - COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT SMALL - DESERT TAN.....		68
<u>Container/Vehicle Recovery Systems</u>		
051 - VEHICLE RECOVERY STRAP 2 INCH WITH SHACKLES		47
052 - VEHICLE RECOVERY STRAP 3 INCH WITH SHACKLES		48
053 - VEHICLE RECOVERY STRAP 4 INCH WITH SHACKLES		49
056 - VEHICLE RECOVERY QUICK CONNECT SHACKLE 2 INCH YELLOW		57
057 - VEHICLE RECOVERY QUICK CONNECT SHACKLE 3 INCH RED		58
060 - VEHICLE RECOVERY HEAVY DUTY ROUND SLING 3 INCH WITH 2, 3 INCH SCREW PIN ANCHOR CROSBY® SHACKLES		61
061 - VEHICLE RECOVERY HEAVY DUTY FLAT SLING 4 INCH 3 PLY WITH 2, 3 INCH SCREW PIN ANCHOR CROSBY® SHACKLES		62
111 - HIGH-PERFORMANCE LIGHTWEIGHT VEHICLE 2 INCH RECOVERY STRAP, 27 FOOT WITH 2, 2 INCH SCREW PIN ANCHOR CROSBY® SHACKLES		75
115 - KINETIC VEHICLE RECOVERY AND TOW RIG 36,000LB BREAK STRENGTH		79
116 - KINETIC VEHICLE RECOVERY AND TOW RIG 59,000LB BREAK STRENGTH		80
117 - KINETIC VEHICLE RECOVERY AND TOW RIG 75,000LB BREAK STRENGTH		81
118 - KINETIC VEHICLE RECOVERY AND TOW RIG 131,000LB BREAK STRENGTH		82



Company History and Overview

Pikes Peak Cargo Secure, Inc. (PPCS) was formed in 2002 by CW3 David John Stanley, US Army (Ret.). During his 20-year Army career, he was responsible for planning, loading, and moving all Classes of Supply, specifically Class V (Ammunition), the heaviest and most difficult Class of Supply to load and move in the military. His years as an EOD technician and a Conventional Ammunition Warrant from company to divisional level laid the foundation for the development of his patents.


He always knew there was a better way to “**Contain, Secure, and Protect**” military cargo. The VATTS® (Variable All Terrain Tie-down Systems™) was what he first developed. The Wars in Afghanistan and Iraq created a need for other applications using VATTS® technology. As the wars continued a greater need for a “**Tactical Container**” emerged. One that could be collapsed with the smallest footprint and be tough enough to withstand the rigors of being used over and over again. He has created the TL-FICCS™ (Tactical Lightweight – Flexible Integrated Collapsible Container Systems™); the AL-FICCS™ (A Lightweight – Flexible Integrated Collapsible Container Systems™); and CL-FICCS™ (Corrugated Lightweight – Flexible Integrated Collapsible Container Systems™). These systems, combined with the new rugged and durable aluminum footlocker system (LOC_FICCS™) are designed to reduce the MILVAN requirements for deployment and redeployment and the VATTS® technology will reduce the need for “Blocking and Bracing” in those MILVAN’s. These systems are fast becoming standard-bearers with the Future Combat Systems that the military envisions for the 21st Century.

Pikes Peak Cargo Secure, Inc. Mission

The staff of Pikes Peak Cargo Secure, Inc. has a singular goal in mind and that is to make the transportation of cargo **Safe, Efficient, and Economical**. To meet these goals PPCS sells only the highest quality products that meet and/or exceed the specifications required of the transportation of military and commercial cargo. Searching for the latest technology in materials and manufacturing techniques has allowed PPCS to become a leader in the development and deployment of state-of-the-art “**Cargo Securement and Storage Systems**”.

PRODUCT NUMBER: 001
NSN: 8145-01-522-8338
OSHKOSH PN: 4057956

MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH




Product #: 001 CLASS 9	Name: MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH	NSN: 8145015228338
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each strap is comprised of 1 ¾ inch polyester webbing material with a minimum break strength of 6,800 lbs., with 2 fixed double bar "D" rings with a minimum break strength of 10,600 lbs. at the end of each strap and 2 floating double bar "D" rings on each leg and a 2-inch snap hook with a minimum break strength of 5,000 lbs.</p> <p>Companion Products: This product is a component of PPCS products</p> <ul style="list-style-type: none"> • P/N 009: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH • P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE 		

PRODUCT NUMBER: 002

NSN: 8145-01-522-8339

OSHKOSH PN: 4057957

HUM VATTS® CARGO STRAP TIE-DOWN 1 INCH




Product #: 002 CLASS 9	Name: HUM VATTS® CARGO STRAP TIE-DOWN 1 INCH	NSN: 8145015228339
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each strap is comprised of 1-inch black polyester webbing material with a minimum break strength of 3,800 lbs., with 2 fixed double bar "D" rings with a minimum break strength of 6,500 lbs. at the end of each strap and 2 floating double bar "D" rings on each leg and a 2-inch snap hook with a minimum break strength of 5,000 lbs.</p> <p>Companion Products: This product is a component of PPCS products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH 		

PRODUCT NUMBER: 003

NSN: 8145-01-522-8341

OSHKOSH PN: 4057958

HUM VATTS® RATCHET STRAP 1 INCH X 14 FEET




Product #: 003 CLASS 9	Name: HUM VATTS® RATCHET STRAP 1 INCH X 14 FEET	NSN: 8145015228341
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each ratchet strap is comprised of 1-inch black polyester webbing material with a minimum break strength of 3,800 lbs. A 14-foot captivated lead with a fixed 1-inch snap hook with a minimum break strength of 5,000 lbs. The end of the lead is attached to a metal ratchet assembly with a minimum break strength of 3,300 lbs. and at the other end of the ratchet web material with a fixed 1-inch snap hook with a minimum break strength of 5,000 lbs.</p> <p>Companion Products: This product is a component of PPCS products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH • P/N 054: TL-FICCS™ 48/40/30 INCH STACKABLE COLLAPSIBLE • P/N 100: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 006

NSN: 8145-01-522-8342

OSHKOSH PN: 4057959

MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET



Product #: 006 CLASS 9	Name: MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET	NSN: 8145015228342
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each ratchet strap is comprised of 1 ¾ inch polyester webbing material with a minimum break strength of 6,800 lbs., A 20-foot captivated lead with a fixed 2-inch snap hook with a minimum break strength of 5,000 lbs. The end of the lead is attached to a metal ratchet assembly with a minimum break strength of 6,500 lbs. and at the other end of the ratchet a fixed 2-inch hook with a minimum break strength of 6,000 lbs.</p> <p>Companion Products: This product is a component of PPCS products:</p> <ul style="list-style-type: none"> • P/N 009: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH • P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE 		




PRODUCT NUMBER: 007
NSN: 8145-01-522-8343
OSHKOSH PN: 4057960
VATTS® BAG STORAGE FOR KITS SMALL



Product #: 007 CLASS 9	Name: VATTS® BAG SMALL	NSN: 8145015228343
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each cargo-carrying bag, Cordura nylon, black with web handles, reinforced the bottom with a heavy-duty zipper. Dimensions are 18 inches long, 10 inches wide, and 10 inches high.</p> <p>Companion Products: This product is a component of PPCS products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 009: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH • P/N 033: VATTS® STRAPPING & LIFTING SYSTEM KIT 1 INCH • P/N 034: VATTS® STRAPPING & LIFTING SYSTEM KIT 1 ¾ INCH <p>Perfect for transporting and storing all our ratchet straps.</p>		

PRODUCT NUMBER: 008
NSN: 8145-01-522-8344
OSHKOSH PN: 4057961
HUM VATTSS® CARGO STRAP TIE-DOWN KIT
SMALL 1 INCH




Product #: 008 CLASS 9	Name: HUM VATTSS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH	NSN: 8145015228344
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>Kit is comprised of 1 each P/N 007 (8145-01-522-8343), 4 each P/N 002 (8145-01-522-8339) and 8 each P/N 003 (8145-01-522-8341).</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • One (1) each P/N 007: VATTSS® BAG STORAGE FOR KITS SMALL • Four (4) each P/N 002: HUM VATTSS® CARGO STRAP TIE-DOWN 1 INCH • Eight (8) each P/N 003: HUM VATTSS® RATCHET STRAP 1 INCH X 14 FEET 		

PRODUCT NUMBER: 009
NSN: 8145-01-522-8345
OSHKOSH PN: 4057962
MIL VATTS® CARGO STRAP TIE-DOWN KIT
SMALL 1 ¾ INCH




Product #: 009 CLASS 9	Name: MIL VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH	NSN: 8145015228345
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>Kit is comprised of 1 each P/N 007 (8145-01-522-8343), 4 each P/N 001 (8145-01-522-8338) and 8 each P/N 006 (8145-01-522-8342).</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • One (1) each P/N 007: VATTS® BAG STORAGE FOR KITS SMALL • Two (2) each P/N 001: MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH • Four (4) each P/N 006: MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET 		

PRODUCT NUMBER: 010
NSN: 8145-01-524-7254
OSHKOSH PN: 4057963
HUM VATTS® CARGO STRAP
TIE-DOWN KIT LARGE 1 INCH



Product #: 010 CLASS 9	Name: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH	NSN: 8145015247254
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>Kit is comprised of 1 each P/N 036 (8145-01-529-4718), 8 each P/N 002 (8145-01-522-8339) and 16 each P/N 003 (8145-01-522-8341).</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE • Eight (8) each P/N 002: HUM VATTS® CARGO STRAP TIE-DOWN 1 INCH • Sixteen (16) each P/N 003: HUM VATTS® RATCHET STRAP 1 INCH X 14 FEET 		

PRODUCT NUMBER: 011
NSN: 8145-01-524-7288
OSHKOSH PN: 4057964
MIL VATTS® 1 ¾ INCH SAC KIT LARGE




Product #: 011 CLASS 9	Name: MIL VATTS® 1 ¾ INCH SAC KIT LARGE	NSN: 8145015247288
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>Kit is comprised of 1 each P/N 036 (8145-01-529-4718), 8 each P/N 001 (8145-01-522-8338) and 8 each P/N 006 (8145-01-522-8342).</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE • Eight (8) each P/N 001: MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH • Eight (8) each P/N 006: MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET 		

PRODUCT NUMBER: 012
NSN: 8145-01-524-7258
OSHKOSH PN: 4057995
VERSA VATTs® STRAP & CHAIN
TIE-DOWN KIT 2 INCH




Product #: 012 CLASS 9	Name: VERSA VATTs® STRAP & CHAIN TIE-DOWN KIT 2 INCH	NSN: 8145015247258
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: 6,851,902 B2
<p>The Kit is comprised of 2 each, 2-inch black polyester webbing material with a minimum break strength of 10,000 lbs., with 2 fixed single bar “D” rings with a minimum break strength of 12,000 lbs. at the end of each strap and 2 floating single bar “D” rings on each leg and is attached to a G70 chainring assembly with a grab hook with a minimum break strength of 20,000 lbs. Each kit also has 4 ratchet straps which are comprised of 2-inch black polyester webbing material with a minimum break strength of 10,000 lbs. A 27 foot non-captivated lead with a fixed G70 chainring assembly with a grab hook with a minimum break strength of 20,000 lbs. and a fixed 10,000 lb. forged snap hook. This is attached to a metal ratchet assembly with a fixed snap hook with a minimum break strength of 12,000 lbs. Each Kit has a large cargo-carrying case, Cordura nylon, black web handles, with a heavy-duty zipper, and comes in black.</p> <p>Companion Product:</p> <ul style="list-style-type: none"> P/N 013: VERSA VATTs® STRAP & CHAIN TIE-DOWN KIT 4 INCH 		

PRODUCT NUMBER: 013
NSN: 8145-01-524-7259
OSHKOSH PN: 4057996
VERSA VATTSS® STRAP & CHAIN TIE-DOWN KIT
4 INCH



Product #: 013 CLASS 9	Name: VERSA VATTSS® STRAP & CHAIN TIE-DOWN KIT 4 INCH	NSN: 8145015247259
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>The Kit is comprised of 2 each, 4-inch polyester webbing material with a minimum break strength of 20,000 lbs., with 2 fixed single bar "V" rings with a minimum break strength of 20,000 lbs. at the end of each strap and 2 floating single bar "V" rings on each leg and is attached to a G70 chainring assembly with a grab hook with a minimum break strength of 20,000 lbs. Each kit also has 2 ratchet straps which are comprised of 4-inch polyester webbing material with a minimum break strength of 20,000 lbs. A 30 foot non-captivated lead with a fixed G70 chainring assembly with a grab hook with a minimum break strength of 20,000 lbs. is attached to a metal ratchet assembly with a fixed G70 chain assembly with grab hook with a minimum break strength of 20,000 lbs. Each kit has a large cargo-carrying case, Cordura nylon, black web handles, with a heavy-duty zipper, and comes in black.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 012: VERSA VATTSS® STRAP & CHAIN TIE-DOWN KIT 2 INCH 		


PRODUCT NUMBER: 014
NSN: 8145-01-524-7266
OSHKOSH PN: 4057997
E-TRACK KIT WITH CLIPS



Product #: 014 CLASS 9	Name: E-TRACK KIT WITH CLIPS	NSN: 8145015247266
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #:
<p>The kit is comprised of 4, 10-foot lengths of galvanized steel cut into 30-inch sections for ease of shipping, The E-track is designed to be placed on a MILVAN floor and its strength is 50,000 PSI. 32 each E-track clip is made of galvanized steel and the ring has a break strength of 6,000 lbs.</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • Sixteen (16) each P/N 017: E-TRACK 30 INCH SECTIONS 16 EACH • Thirty-two (32) each P/N 018: E-TRAC CLIP 6,000 LBS BREAK STRENGTH 		

PRODUCT NUMBER: 015
NSN: 8145-01-524-7267
OSHKOSH PN: 4057998

VATTS® STRAPPING KIT FOR 20 FOOT MILVAN



Our most popular tie-down kit.


Product #: 015 CLASS 9	Name: VATTS® STRAPPING KIT FOR 20 FOOT MILVAN	NSN: 8145015247267
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>The Kit is comprised of 1 each Kit P/N 010 (8145-01-524-7254) and 1 each Kit P/N 011 (8145-01-524-7288).</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> One (1) each P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH is comprised of the following: <ul style="list-style-type: none"> ➤ One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE ➤ Eight (8) each P/N 002: HUM VATTS® CARGO STRAP TIE-DOWN 1 INCH ➤ Sixteen (16) each P/N 003: HUM VATTS® RATCHET STRAP 1 INCH X 14 FEET One (1) each P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE is comprised of the following: <ul style="list-style-type: none"> ➤ One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE ➤ Eight (8) each P/N 001: MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH ➤ Eight (8) each P/N 006: MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET 		

PRODUCT NUMBER: 016

NSN: 8145-01-524-7268


OSHKOSH PN: 4057999

VATTS® STRAPPING & E-TRACK KIT FOR 20 FOOT MILVAN




Product #: 016 CLASS 9	Name: VATTS® STRAPPING & E-TRACK KIT FOR 20 FOOT MILVAN	NSN: 8145015247268
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>The Kit is comprised of 1 each Kit P/N 014 (8145-01-524-7266) and 1 each Kit P/N 015 (8145-01-524-7267).</p> <p>This product consists of the following PPCS products:</p> <p>Each P/N 014 Kit is comprised of the following:</p> <ul style="list-style-type: none"> Sixteen (16) each E-TRAC 30 INCH SECTIONS 16 EACH Thirty-two (32) each E-TRACK CLIP 6,000 LBS BREAK STRENGTH <p>Each P/N 015 Kit is comprised of the following:</p> <ul style="list-style-type: none"> One (1) each P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH is comprised of the following: <ul style="list-style-type: none"> One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE Eight (8) each P/N 002: HUM VATTS® CARGO STRAP TIE-DOWN 1 Sixteen (16) each P/N 003: HUM VATTS® RATCHET STRAP 1 INCH X 14 One (1) each P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE is comprised of the following: <ul style="list-style-type: none"> One (1) each P/N 036: VATTS® BAG STORAGE FOR KITS LARGE Eight (8) each P/N 001: MIL VATTS® CARGO STRAP TIE-DOWN 1 ¾ INCH Eight (8) each P/N 006: MIL VATTS® RATCHET STRAP 1 ¾ INCH X 20 FEET 		

PRODUCT NUMBER: 017
NSN: 8145-01-524-7270
OSHKOSH PN: 4058000
CONTAINER, E-TRACK 30 INCH SECTIONS 16 EACH




Product #: 017 CLASS 9	Name: E-TRACK 30 INCH SECTIONS 16 EACH	NSN: 8145015247270
UOI: Kit	Type: Cargo Strap-Tiedown System	Patent #:
<p>Each section is designed to be full or cut and placed on a MILVAN floor. 5/16 x 1 inch lag screws are needed. The strength of the galvanized steel is 50,000 PSI. Each 10 foot length is cut into 30 inch sections for a total of 16 sections totaling 40 feet.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 014: E-TRACK KIT WITH CLIPS • P/N 018: E-TRACK CLIP 6,000 LBS BREAK STRENGTH 		

PRODUCT NUMBER: 018
NSN: 8145-01-524-7272
OSHKOSH PN: 4058001
E-TRACK CLIP 6,000 LBS BREAK STRENGTH



Product #: 018 CLASS 9	Name: E-TRACK CLIP 6,000 LBS BREAK STRENGTH	NSN: 8145015247272
UOI: Each	Type: Cargo Strap-Tiedown System	Patent #:
<p>Each clip is designed to be used with P/N 017 (8145-01-524-7270). The strength of the galvanized steel and ring is 6,000 break strength.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 014: E-TRACK KIT WITH CLIPS • P/N 017: E-TRACK 30 INCH SECTIONS 16 EACH 		

PRODUCT NUMBER: 019
NSN: 8145-01-522-8348
OSHKOSH PN: 4058002
CARGO/AMMO BELT
(12 INCHES WIDE x 155 INCHES LONG)



Product #: 019 CLASS 9	Name: CARGO/AMMO BELT (12 INCHES WIDE x 155 INCHES LONG)	NSN: 8145015228348
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each belt is made from polyester material 12 inches wide x 155 inches long and has a break strength of 20,000 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 100: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 020
NSN: 8145-01-522-8346
OSHKOSH PN: 4058003
CARGO TIE-DOWN CABLE
(30,000 LBS BREAK STRENGTH)



Product #: 020 CLASS 9	Name: CARGO TIE-DOWN CABLE (30,000 LBS BREAK STRENGTH)	NSN: 8145015228346
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each cable is fixed with 2 every 4,000 lbs. alloy snap hooks, 3/8-inch cable rated at 30,000 lbs. break strength, and approximately 94 inches long. This cable assembly protects the fiber on the ratchet strap from abrasive, sharp surfaces and edges.</p> <p>Companion Products: Can be used with all Ratchet Systems.</p>		

PRODUCT NUMBER: 021
2" – NSN: 8145-01-524-7273
OSHKOSH PN: 4058004
PRODUCT NUMBER: 022
3" – NSN: 8145-01-524-7275
OSHKOSH PN: 4058005
PRODUCT NUMBER: 023
4" – NSN: 8145-01-524-7276
OSHKOSH PN: 4058006

STRAP PROTECTOR 2, 3, or 4 INCH CORDURA SLEEVE



Product #: 021 Product #: 022 Product #: 023 CLASS 9	Name: STRAP PROTECTOR 2, 3, & 4 INCH CORDURA SLEEVE	2" – NSN: 8145015247273 3" – NSN: 8145015247275 4" – NSN: 8145015247276
UOI: Each	Type: Cargo Strap-Tie-down System Accessory	Patent #:
Each protector consists of a Cordura sleeve that is 12 inches long and 2, 3, or 4 inches wide.		

PRODUCT NUMBER: 024
NSN: 8145-01-524-7277
OSHKOSH PN: 4058007
STRAP PROTECTOR 4 INCH
NYLON SLEEVE WITH VELCRO



Product #: 024 CLASS 9	Name: STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO	NSN: 8145015247277
UOI: Each	Type: Cargo Strap-Tie-down System Accessory	Patent #:
<p>Each protector consists of a nylon sleeve with Velcro that is 12 inches long and 4 inches wide.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 021: STRAP PROTECTOR 2 INCH CORDURA SLEEVE • P/N 022: STRAP PROTECTOR 3 INCH CORDURA SLEEVE • P/N 023: STRAP PROTECTOR 4 INCH CORDURA SLEEVE • P/N 025: STRAP PROTECTOR 4 INCH NYLON SLEEVE • P/N 028: MOLDED PLASTIC CORNER PROTECTOR 		



PRODUCT NUMBER: 025
NSN: 8145-01-524-7280
OSHKOSH PN: 4064871
STRAP PROTECTOR 4 INCH NYLON SLEEVE




Product #: 025 CLASS 9	Name: STRAP PROTECTOR 4 INCH NYLON SLEEVE	NSN: 8145015247280
UOI: Each	Type: Cargo Strap-Tie-down System Accessory	Patent #:
<p>Each protector consists of a nylon sleeve that is 12 inches long and 4 inches wide.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 021: STRAP PROTECTOR 2 INCH CORDURA SLEEVE • P/N 022: STRAP PROTECTOR 3 INCH CORDURA SLEEVE • P/N 023: STRAP PROTECTOR 4 INCH CORDURA SLEEVE • P/N 024: STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO • P/N 028: MOLDED PLASTIC CORNER PROTECTOR 		

PRODUCT NUMBER: 026
2" – NSN: 8145-01-524-7283
OSHKOSH PN: 4715998
PRODUCT NUMBER: 027
3" & 4" – NSN: 8145-01-524-7285
OSHKOSH PN: 4715999
STRAP PROTECTOR 2, 3 & 4 INCH POLYPAD (HEAVY DUTY)



Product #: 026 Product #: 027 CLASS 9	Name: STRAP PROTECTOR 2, 3,& 4 INCH POLYPAD (HEAVY DUTY)	2" – NSN: 8145015247283 3" & 4" – NSN: 8145015247285
UOI: Each	Type: Cargo Strap-Tie-down System Accessory	Patent #:
<p>Each protector consists of a Polypad that is 2, or 4 inches wide.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 021: STRAP PROTECTOR 2 INCH CORDURA SLEEVE • P/N 022: STRAP PROTECTOR 3 INCH CORDURA SLEEVE • P/N 023: STRAP PROTECTOR 4 INCH CORDURA SLEEVE • P/N 024: STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO • P/N 025: STRAP PROTECTOR 4 INCH NYLON SLEEVE • P/N 028: MOLDED PLASTIC CORNER PROTECTOR 		

PRODUCT NUMBER: 028
NSN: 8145-01-524-7286
OSHKOSH PN: 4064872
MOLDED PLASTIC CORNER PROTECTOR



Product #: 028 CLASS 9	Name: MOLDED PLASTIC CORNER PROTECTOR	NSN: 8145015247286
UOI: Each	Type: Cargo Strap-Tie-down System Accessory	Patent #:
<p>Each protector is approximately 5 ¼ inch by 7 ½ inches. Primarily used to prevent crushing corners of soft loads by ratchet straps.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 021: STRAP PROTECTOR 2 INCH CORDURA SLEEVE • P/N 022: STRAP PROTECTOR 3 INCH CORDURA SLEEVE • P/N 023: STRAP PROTECTOR 4 INCH CORDURA SLEEVE • P/N 024: STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO • P/N 025: STRAP PROTECTOR 4 INCH NYLON SLEEVE 		

PRODUCT NUMBER: 029
NSN: 8145-01-527-8734
OSHKOSH PN: 4064873
SPIDER VATTS® 8 LEG STRAP-TIE-DOWN SYSTEM
1 INCH




Product #: 029 CLASS 9	Name: SPIDER VATTS® 8 LEG STRAP-TIE-DOWN SYSTEM 1 INCH	NSN: 8145015278734
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each strap system is comprised of 1-inch black polyester webbing material with a minimum break strength of 3,800 lbs.; a 6-foot circumference polyester round strap with a minimum break strength of 26,500 lbs.; 8 attached 1-inch straps and a metal ratchet assembly with a minimum break strength of 3,333 lbs.; and at the other end of the ratchet - web material with a fixed 1-inch snap hook with a minimum break strength of 5,000 lbs.</p>		

PRODUCT NUMBER: 030

NSN: 8145-01-527-8736

OSHKOSH PN: 4064874

SPIDER VATTs® 8 LEG STRAP-TIE-DOWN SYSTEM
1 3/4 INCH



Product #: 030 CLASS 9	Name: SPIDER VATTs® 8 LEG STRAP-TIE-DOWN SYSTEM 1 3/4 INCH	NSN: 8145015278736
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each strap system is comprised of 1 3/4 inch polyester webbing material with a minimum break strength of 6,800 lbs.; a 6-foot circumference polyester round strap with a minimum break strength of 26,500 lbs.; 8 attached 1 3/4 inch straps and a metal ratchet assembly with a minimum break strength of 5,000 lbs.; and at the other end of the ratchet - web material with a fixed 1 3/4 inch snap hook with a minimum break strength of 5,000 lbs.</p>		

PRODUCT NUMBER: 031
3" – NSN: 8145-01-527-8737
OSHKOSH PN: 4064875
PRODUCT NUMBER: 032
6" – NSN: 8145-01-527-8739
OSHKOSH PN: 4064876
CARGO/AMMO BELT
3 & 6 INCHES WIDE x 108 INCHES LONG




Product #: 031 Product #: 032 CLASS 9	Name: CARGO/AMMO BELT (3 & 6 INCHES WIDE x 108 INCHES LONG)	3" – NSN: 8145015278737 6" – NSN: 8145015278739
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each belt is made of polyester material and is 3 or 6 inches wide x 108 inches long. Companion Products: <ul style="list-style-type: none"> • P/N 032 CARGO/AMMO BELT (6 INCHES WIDE x 108 INCHES LONG) • P/N 031 CARGO/AMMO BELT (3 INCHES WIDE x 108 INCHES LONG) 		

PRODUCT NUMBER: 033

NSN: 8145-01-528-8026


OSHKOSH PN: 4064870

VATTS® STRAPPING & LIFTING SYSTEM KIT 1 INCH



Product #: 033 CLASS 9	Name: VATTS® STRAPPING & LIFTING SYSTEM KIT 1 INCH	NSN: 8145015288026
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #:
<p>The Kit is comprised of 1 each P/N 007 (8145-01-522-8343) (Black) and 2 binder straps (20 ft.) and 2 securement straps (20 ft.). The straps have a break strength of 3,800 lbs. The kits are designed for use on containers such as an ACDS, multipack with pallet, tri-wall, etc. while in storage, in transit on a vehicle, ISO container, or any conveyance requiring a securement system that stays with the container. This system is not designed to replace existing expendable strapping systems, but gives the user a “reusable 4 in 1 bind/secure/sling/mate”. Each strap has a ratchet mechanism, web strap, 2 floating double bar “D” rings, and a “D” ring or “snap” hook secured at the end of the webbing. The 2 floating “D” rings are used for sling loading the container or forming 2 containers together. This is accomplished by using the floating “D” rings as securement points for the “snap” ratchets for the top container. With a single container, the 2 “D” ratchets are used to “bind” the container and the 2 “snap” ratchets can be used also to “bind” or can use as securement devices on the vehicle while in transit, and reattached to the container for slinging or further movement forward.</p>		


PRODUCT NUMBER: 034
NSN: 8145-01-528-8033
OSHKOSH PN: 4064877
VATTS® STRAPPING & LIFTING SYSTEM KIT
1 ¾ INCH



Product #: 034 CLASS 9	Name: VATTS® STRAPPING & LIFTING SYSTEM KIT 1 ¾ INCH	NSN: 8145015288033
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #:
<p>The Kit is comprised of 1 each P/N 007 (8145-01-522-8343) and 2 each binder straps (27 ft.) and 2 securement straps (27 ft.). The straps have a break strength of 6,800 lbs. Each of these kits consists of 4 straps that are designed to “bind/secure/sling/mate”. The kits are designed for use on containers such as an ACDS, multipack with pallet, tri-wall, etc. while in storage, in transit on a vehicle, MILVAN or ISO container, or any conveyance requiring a sacramento system that stays with the container. This system is not designed to replace existing expendable strapping systems, but gives the user a “reusable 4 in 1 bind/secure/sling/mate”. Each strap has a ratchet mechanism, web strap, 2 floating double bar “D” rings, and a “D” ring or “snap” hook secured at the end of the webbing. The 2 floating “D” rings are used for sling loading the container or forming 2 containers together. This is accomplished by using the floating “D” rings as securement points for the “snap” ratchets for the top container. With a single container, the 2 “D” ratchets are used to “bind” the container and the 2 “snap” ratchets can be used also to “bind” or can use as securement devices on the vehicle while in transit, and reattached to the container for sling loading or further movement forward.</p>		

Product Number: 035
NSN: 8145-01-529-4720
OSHKOSH PN: 4064878

VERSA VATTSS® STRAP & CHAIN TIE-DOWN KIT
3 INCH



Product #: 035 CLASS 9	Name: VERSA VATTSS® STRAP & CHAIN TIE-DOWN KIT 3 INCH	NSN: 8145015294720
UOI: Kit	Type: Cargo Strap-Tie-down System Kit	Patent #: US 6,851,902 B2
<p>The Kit is comprised of 2, 3-inch polyester webbing material with a minimum break strength of 15,000 lbs., with 2 fixed single bar “V” rings with a minimum break strength of 15,000 lbs. at the end of each strap and 2 floating single bar “V” rings on each leg and is attached to a G70 chainring assembly with a grab hook with a minimum break strength of 15,000 lbs. Each kit also has 2 ratchet straps which are comprised of 3-inch polyester webbing material with a minimum break strength of 15,000 lbs. A 27-foot non-captivated lead with a fixed G70 chainring assembly with a grab hook with a minimum break strength of 15,000 lbs. is attached to a metal ratchet assembly with a fixed G70 chain assembly with grab hook with a minimum break strength of 15,000 lbs. Each Kit has a large black cargo-carrying bag, Cordura nylon, black web handles, with a heavy-duty zipper.</p> <p>This product consists of the following PPCS products:</p> <ul style="list-style-type: none"> • Two (2) each, three (3) inch polyester webbing material with minimum Break Strength of 15,000 lbs.; • Two (2) fixed single bar “V” rings with a minimum Break Strength of 15,000 lbs. at the end of each strap; • Two (2) floating single bar “V” rings on each leg and is attached to a G70 chainring assembly with a grab hook with a minimum Break Strength of 15,000 lbs. 		



PRODUCT NUMBER: 036
NSN: 8145-01-529-4718
OSHKOSH PN: 4064879
VERSA VATTs® BAG STORAGE FOR KITS LARGE



Product #: 036 CLASS 9	Name: VATTs® BAG LARGE	NSN: 8145015294718
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each black cargo-carrying bag is constructed from Cordura nylon, with black web handles, a reinforced bottom, and a heavy-duty zipper. It is 23.5 inches long, 11.5 inches wide and 11 inches high.</p> <p>Perfect for transporting and storing all our ratchet and recovery straps.</p>		

PRODUCT NUMBER: 037
NSN: 8145-01-529-9608
OSHKOSH PN: 4064880
VERSA VATTS® STRAP & CHAIN TIE-DOWN
2 INCH SNAP HOOK



Product #: 037 CLASS 9	Name: VERSA VATTS® STRAP & CHAIN TIE-DOWN 2 INCH SNAP HOOK	NSN: 8145015299608
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each strap and tie-down consists of a 2-inch strap with one snap hook, 2 end “D” rings and 2 floating “D” rings and 1 chain with hook pivoting on a large ring. This system has a break strength of 10,000 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 035: VERSA VATTS® STRAP & CHAIN TIE-DOWN KIT 3 INCH • P/N 036: VATTS® BAG STORAGE FOR KITS LARGE 		

PRODUCT NUMBER: 038
NSN: 8145-01-529-9610
OSHKOSH PN: 4064881
MONO VATTS® RATCHET STRAP
2 INCHES x 27 FEET



Our most popular ratchet strap, 10,000 lbs. break strength.

Product #: 038 CLASS 9	Name: MONO VATTS® RATCHET STRAP 2 INCHES x 27 FEET	NSN: 8145015299610
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each strap is 2 inches wide x 27 feet long. This system has a break strength of 10,000 lbs.		

PRODUCT NUMBER: 039
NSN: 8145-01-529-9612
OSHKOSH PN: 4064882
MULTI VATTS® TIE-DOWN WITH 2 RATCHETS 1 INCH



Product #: 039 CLASS 9	Name: MULTI VATTS® TIE-DOWN WITH 2 RATCHETS 1 INCH	NSN: 8145015299612
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each tie-down consists of a 1-inch snap hook with 2 legs of 1-inch strap connected to 2 ratchet devices with 2 floating “D” rings. Does not include P/N 042, 043 & 044, (strap) they must be ordered separately. This system has a break strength of 3,800 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 042: 1 INCH X 6 FOOT LEAD WITH 1 INCH SNAP HOOK • P/N 043: 1 INCH X 12 FOOT LEAD WITH 1 INCH SNAP HOOK • P/N 044: 1 INCH X 20 FOOT LEAD WITH 1 INCH SNAP HOOK 		

PRODUCT NUMBER: 040

NSN: 8145-01-529-9615


OSHKOSH PN: 4064883

MULTI VATTTS® TIE-DOWN WITH 2 RATCHETS 2 INCH



Product #: 040 CLASS 9	Name: MULTI VATTTS® TIE-DOWN WITH 2 RATCHETS 2 INCH	NSN: 8145015299615
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each tie-down consists of 2 ratchets at the end of a 2-inch strap, attached to a round ring. Another 2-inch strap connects to the ring with a 2-inch snap hook. Finally, a cable assembly with a hook is attached to the round ring. The system has a break strength of 10,000 lbs. It does not include the webbing and hook cable to connect to the ratchet.</p>		


PRODUCT NUMBER: 041
NSN: 8145-01-529-9617
OSHKOSH PN: 4064884
MONO VATTS® TIE-DOWN WITH 1 RATCHET 1 INCH



Product #: 041 CLASS 9	Name: MONO VATTS® TIE-DOWN WITH 1 RATCHET 1 INCH	NSN: 8145015299617
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each ratchet assembly consists of a 1-inch ratchet connected to a 1-inch snap hook with a floating "D" ring. It does not include P/N 042, 043 & 044, they must be ordered separately. This system has a break strength of 3,800 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH 		



PRODUCT NUMBER: 042
6' – NSN: 8145-01-529-9624
OSHKOSH PN: 4066067
PRODUCT NUMBER: 043
12' – NSN: 8145-01-529-9627
OSHKOSH PN: 4066068
PRODUCT NUMBER: 044
20' – NSN: 8145-01-529-9628
OSHKOSH PN: 4066069
1 INCH x 6, 12, & 20 FOOT LEAD
WITH 1 INCH SNAP HOOK



Product #: 042 Product #: 043 Product #: 044 CLASS 9	Name: 1 INCH x 6, 12, & 20 FOOT LEAD WITH 1 INCH SNAP HOOK	6' – NSN: 8145015299624 12' – NSN: 8145015299627 20' – NSN: 814501529962
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each strap consists of a 1-inch wide x 6, 12, or 20 foot long lead with a 1-inch snap hook. This system has a break strength of 3,800 lbs. Companion Products: <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH 		

PRODUCT NUMBER: 045
NSN: 8145-01-529-9633
OSHKOSH PN: 4066070
HUM VATTS® TIE-DOWN 1 INCH SHORT
WITH 1 INCH SNAP HOOK



Product #: 045 CLASS 9	Name: HUM VATTS® TIE-DOWN 1 INCH SHORT WITH 1 INCH SNAP HOOK	NSN: 8145015299633
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each tie-down consists of 2, 1 inch wide short straps connected to a 1-inch snap hook on one end and two "D" rings on the other with 2 floating "D" rings on each strap. This system has a break strength of 3,800 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH 		

PRODUCT NUMBER: 046
NSN: 8145-01-529-9635
OSHKOSH PN: 4066071
HUM VATTS® TIE-DOWN 1 INCH SHORT
WITH 2 INCH SNAP HOOK



Product #: 046 CLASS 9	Name: HUM VATTSS® TIE-DOWN 1 INCH SHORT WITH 2 INCH SNAP HOOK	NSN: 8145015299635
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each tie-down consists of 2, 1 inch wide short straps connected to a 2-inch snap hook on one end and two "D" rings on the other with 2 floating "D" rings on each strap. This system has a break strength of 3,800 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 008: HUM VATTSS® CARGO STRAP TIE-DOWN KIT SMALL 1 INCH • P/N 010: HUM VATTSS® CARGO STRAP TIE-DOWN KIT LARGE 1 INCH 		

PRODUCT NUMBER: 047
NSN: 8145-01-529-9636
OSHKOSH PN: 4066072
MIL VATTS® TIE-DOWN 1 ¾ INCH SHORT
WITH 2 INCH SNAP HOOK





Product #: 047 CLASS 9	Name: MIL VATTS® TIE-DOWN 1 ¾ INCH SHORT WITH 2 INCH SNAP HOOK	NSN: 8145015299636
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
<p>Each tie-down consists of 2, 1 ¾ inch wide short straps connected to a 2-inch snap hook on one end and 2 “D” rings on the other with 2 floating “D” rings on each strap. This system has a break strength of 6,800 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 009: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH • P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE 		

PRODUCT NUMBER: 048

NSN: 8145-01-529-9638

OSHKOSH PN: 4066073

POLY LOOP ANCHOR 13,000 LBS BREAK STRENGTH



Product #: 048 CLASS 9	Name: POLY LOOP ANCHOR 13,000 LBS BREAK STRENGTH	NSN: 8145015299638
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each loop anchor is designed to be used when there is a need for an anchor point when none exists. This system has a break strength of 13,000 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 009: HUM VATTS® CARGO STRAP TIE-DOWN KIT SMALL 1 ¾ INCH • P/N 011: MIL VATTS® 1 ¾ INCH SAC KIT LARGE 		

PRODUCT NUMBER: 049
NSN: 8145-01-529-9640
OSHKOSH PN: 4066074
CHAIN ANCHOR MASTER LINK
20,000 LBS BREAK STRENGTH



Product #: 049 CLASS 9	Name: CHAIN ANCHOR MASTER LINK 20,000 LBS BREAK STRENGTH	NSN: 8145015299640
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each chain anchor is designed to be used when there is a need for an anchor point when none exists and the possibility that the cargo that is being transported would cut or damage the instant tie-down such as P/N 048 (8145-01-529-9638) Poly Loop. This chain is approximately 32 inches long. The chain is intended to be fed through the large oval rings. This system has a break strength of 20,000 lbs.</p>		

PRODUCT NUMBER: 050
NSN: 8145-01-529-9642
OSHKOSH PN: 4066075
CHAIN ANCHOR GRAB HOOK
20,000 LBS BREAK STRENGTH




Product #: 050 CLASS 9	Name: CHAIN ANCHOR GRAB HOOK 20,000 LBS BREAK STRENGTH	NSN: 8145015299642
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each chain consists of a grab hook on one end and a large oval ring at the other. This chain is approximately 31 inches long. This system has a break strength of 20,000 lbs.		

PRODUCT NUMBER: 051

NSN: 8145-01-533-5574

OSHKOSH PN: 4066076

VEHICLE RECOVERY STRAP 2 INCH WITH SHACKLES



Product #: 051 CLASS 9	Name: VEHICLE RECOVERY STRAP 2 INCH WITH SHACKLES	NSN: 8145015335574
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
<p>Kit contains strap made from 2-ply nylon, is 2 inches wide x 20 feet long, and has 2, 2-inch web shackles at each end. The break strength of the strap is 32,000 lbs. and the break strength of the shackles is 40,250 lbs. It is designed to be used as a Container/Vehicle Recovery Strap or as a sling for lifting (see instructions on the strap). Total Weight is 11 lbs. (Certified for Lifting)</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 056: VEHICLE RECOVERY QUICK CONNECT SHACKLE 2 INCH 		

PRODUCT NUMBER: 052

NSN: 8145-01-533-5613


OSHKOSH PN: 4069286

VEHICLE RECOVERY STRAP 3 INCH WITH SHACKLES




Product #: 052 CLASS 9	Name: VEHICLE RECOVERY STRAP 3 INCH WITH SHACKLES	NSN: 8145015335613
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
<p>Kit contains strap made from 2-ply nylon, is 3 inches wide x 27 feet long, and has 2, 3-inch web shackles at each end. The break strength of the strap is 43,000 lbs. and the break strength of the shackles is 65,250 lbs. It is designed to be used as a Container/Vehicle Recovery Strap or as a sling for lifting (see instructions on the strap). Total Weight is 14 lbs. (Certified for Lifting)</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 057: VEHICLE RECOVERY QUICK CONNECT SHACKLE 3 INCH 		

PRODUCT NUMBER: 053
NSN: 8145-01-533-5616
OSHKOSH PN: 4069287
VEHICLE RECOVERY STRAP 4 INCH WITH SHACKLES



Product #: 053 CLASS 9	Name: VEHICLE RECOVERY STRAP 4 INCH WITH SHACKLES	NSN: 8145015335616
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
Kit contains strap made from 2-ply nylon, is 4 inches wide x 27 feet long, and has 2, 4-inch web shackles at each end. The break strength of the strap is 57,000 lbs. and the break strength of the shackles is 79,000 lbs. It is designed to be used as a Container/Vehicle Recovery Strap or as a sling for lifting (see instructions on the strap). Total Weight is 18 lbs. (Certified for Lifting)		

ANATOMY OF A VEHICLE RECOVERY STRAP



PRODUCT NUMBER: 054


NSN: 8145-01-562-9283

OSHKOSH PN: 4069288

TL-FICCS™

48/40/30 INCHES STACKABLE COLLAPSIBLE

Two containers per kit, each kit contains eight 1-inch ratchet straps



Product #: 054 CLASS 9	Name: TL-FICCS™ 48/40/30 INCHES STACKABLE COLLAPSIBLE	NSN: 8145015629283
UOI: Kit	Type: Cargo Container System Kit	Patent #:
<p>Kit includes Tactical Lightweight - Flexible Integrated Collapsible Container System (TL-FICCS™) 48x40x30 inches. The usable area within the container is 21 inches in height or 37 cubic feet. The kit contains 2 containers. The kit collapses to 48x40x12 inches. It is ideal for the Military, DHS, or FEMA for short or long term storage and outside storage under adverse conditions. This Kit is a Lightweight, Deployable, and Reusable Collapsible System. It is weather-resistant 100% plastic. Each container with straps weighs 57.5 lbs. The kit has a total weight of 115 lbs. It was designed for use with the Patented VATTSS® Straps and is stackable inside a standard-sized MILVAN (15 Kits of 30 containers) filling a MILVAN with no blocking or bracing required. This container is can be placed in most of the "Intermodal" Containers. This Kit can be Sling Loaded with the proper VATTSS® Straps applied. This System is designed to carry up to 1,800 lbs. of cargo over any terrain and is rated at 4,000 lbs. floor storage. Each Kit contains four pallets, two collapsible sleeves, and eight HUM VATTSS® Ratchet Straps (NSN 8145-01-522-8341). The System is 100% recyclable and four directions forklift accessible.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 003: HUM VATTSS® RATCHET STRAP 1 INCH X 14 FOOT 		




CONTAINER
20FT

Uses 30 Containers or 15 Kits

CONTAINER 40FT


Uses 60 Containers
or 30 Kits




2 Containers



4 Containers




8 Containers



10 Containers



12 Containers




30 Containers





60 Containers


4 Containers



8 Containers




30 Containers







30 Containers

12 Containers



46 Containers











PRODUCT NUMBER: 055
NSN: 8145-01-565-5546
OSHKOSH PN: 4069289
SHELTER SYSTEM PROTECTIVE COLLAPSIBLE
15 FEET x 15 FEET



Product #: 055 CLASS 9	Name: SHELTER SYSTEM PROTECTIVE COLLAPSIBLE 15 FEET x 15 FEET	NSN: 8145015655546
UOI: Kit	Type: Shelter System	Patent #:
<p>Kit shelter includes a 15-foot x 15-foot tarp. It is designed for the Tactical/Outdoor Environment by logistics personnel for the protection of supplies and equipment in any weather condition. Extremely lightweight and portable. Designed to be set up by 2 personnel. Will survive in winds of 40 mph sustained and 60 mph gusts. Capable of Multiple Configurations. Carrying/Storage Bag Size 38.5 inches long x 20 inches wide x 14 inches high. Weight 120 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 101: CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 056
NSN: 8145-01-565-5535
OSHKOSH PN: 4069290
VEHICLE RECOVERY QUICK CONNECT SHACKLE
2 INCH

**ANATOMY OF A VEHICLE
RECOVERY STRAP**



(Quick Connect Shackle Only)

Product #: 056 CLASS 9	Name: VEHICLE RECOVERY QUICK CONNECT SHACKLE 2 INCH	NSN: 8145015655535
UOI: Each	Type: Container/Vehicle Recovery System	Patent #:
<p>Each shackle is Yellow color-coded, made from forged steel, certified for lifting, and has a break strength of 42,000 lbs. (Certified for Lifting)</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 051: VEHICLE RECOVERY STRAP 2 INCH WITH SHACKLES 		



PRODUCT NUMBER: 057

NSN: 8145-01-565-5526

OSHKOSH PN: 4069291

**VEHICLE RECOVERY QUICK CONNECT SHACKLE
3 INCH**


**ANATOMY OF A VEHICLE
RECOVERY STRAP**



(Quick Connect Shackle Only)

Product #: 057 CLASS 9	Name: VEHICLE RECOVERY QUICK CONNECT SHACKLE 3 INCH	NSN: 8145015655526
UOI: Each	Type: Container/Vehicle Recovery System	Patent #:
<p>Each shackle is Red color-coded, made from forged steel, certified for lifting, and has a break strength of 66,000 lbs. (Certified for Lifting)</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 052: VEHICLE RECOVERY STRAP 3 INCH WITH SHACKLES 		

PRODUCT NUMBER: 058
NSN: 8145-01-565-5557
OSHKOSH PN: 4069292
SLING 4 LEG
ADJUSTABLE 8 HOOKS



Product #: 058 CLASS 9	Name: SLING 4 LEG ADJUSTABLE 8 HOOKS	NSN: 8145015655557
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each sling includes 8 snap hooks, 1 quad master link, 4 - lengths of 1-inch straps that extend 8 feet with two (2) snap hooks on each strap (total of 8 snap hooks); Break Strength is 22,500 lbs.		

PRODUCT NUMBER: 059
NSN: 8145-01-565-5551
OSHKOSH PN: 4069293
SLING 4 LEG NON-ADJUSTABLE 4 HOOKS



Product #: 059 CLASS 9	Name: SLING 4 LEG NON-ADJUSTABLE 4 HOOKS	NSN: 814501565551
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
Each sling includes a 4-Legged fixed sling with 4, 18 inches long 1-inch straps with a snap hook at the end of a single master link. Break Strength is 12,500 lbs.		

PRODUCT NUMBER: 060

NSN: 8145-01-565-5519

OSHKOSH PN: 4069294

**VEHICLE RECOVERY HEAVY DUTY
3 INCH ROUND SLING WITH 2 EACH CROSBY® SHACKLES**




Product #: 060 CLASS 9	Name: VEHICLE RECOVERY HEAVY DUTY ROUND SLING 3 INCH	NSN: 8145015655519
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
Kit includes a 3-inch round x 27-foot long eye and eye round sling type strap with a Cordura jacket and wrapped eyes with a break strength of 106,000 lbs. There is 2, 3-inch screw pin anchor Crosby® shackles with a break strength of 125,000 lbs., (Certified for Lifting)		

PRODUCT NUMBER: 061
NSN: 8145-01-565-5577
OSHKOSH PN: 4069295
VEHICLE RECOVERY HEAVY DUTY
FLAT SLING 4 INCH THREE PLY




Product #: 061 CLASS 9	Name: VEHICLE RECOVERY HEAVY DUTY FLAT SLING 4 INCH THREE PLY	NSN: 8145015655577
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
Kit includes a 4-inch wide x 27-foot-long flat 3-Ply sling with a Break Strength of 80,000 lbs. It has 2, 3-inch screw pin sling saver Crosby® shackles with a break strength of 125,000 lbs. (Certified for Lifting)		

PRODUCT NUMBER: 062
NSN: 8145-01-565-5589
OSHKOSH PN: 4070609
VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH
G70 WITH MASTER LINK




Product #: 062 CLASS 9	Name: VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH G70 WITH MASTER LINK	NSN: 8145015655589
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
Each tie-down includes a master link and a 5/8-inch center forged ring connecting 2 chains with 1 fixed and 1 floating ½ inch forged ring, break strength is 20,000 lbs.		

PRODUCT NUMBER: 063
NSN: 8145-01-565-5583
OSHKOSH PN: 4070610
VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH
G70 WITH GRAB HOOK



Product #: 063 CLASS 9	Name: VATTS® CARGO CHAIN TIE-DOWN 5/16 INCH G70 WITH GRAB HOOK	NSN: 8145015655583
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #: US 6,851,902 B2
Each tie-down consists of a 5/16-inch G70 chain with Grab Hook and a 5/8-inch center forged ring connecting 2 chains with 1 fixed and 1 floating ½ inch forged ring, Break Strength is 20,000 lbs.		

PRODUCT NUMBER: 069
NSN: 8145-01-609-7576
OSHKOSH PN: 4716004
FOOTLOCKER (LOC-FICCS™)
DESERT TAN



(Stackable, with removable tray)

Product #: 069 CLASS 9	Name: FOOTLOCKER (LOC-FICCS™) DESERT TAN	NSN: 8145016097576
UOI: Each	Type: Cargo Container	Patent #:
<p>Each Footlocker, Aluminum Container, LOC-FICCS™, 37x22.5x21 inches; the material is (8Ga.) .125 thick aluminum, (5052-H32); positive stop embossments, top, and bottom for stacking; (16Ga.) 304 stainless steel hinge, ½ inch knuckle, with 1/8 dia. pin.; 6 heavy-duty recessed handles 5x7 inch, spring-loaded, black powder-coated; 2 heavy-duty T-handle recessed compression latches, black powder-coated; handles and latches installed with water-resistant gaskets; all hardware installed with 3/16 (.187) dia. blind sealing rivets; all corners welded full length; for water resistance and strength, water-resistant gasket, installed between the lid and welded box. The footlocker contains a 35.75 x 21 x 3.5-inch top-loading removable tray.</p> <p>Color: 686 Desert Tan #595-33446, Rex #: UHS2-20025, Urethane.</p> <p>LOC-FICCS™ is a Lightweight, Deployable, Reusable System; it is weather resistant and each footlocker weighs 70 lbs. empty. The container is 100% recyclable.</p>		

PRODUCT NUMBER: 075
NSN: 8145-01-600-8895
OSHKOSH PN: 4716003
LOC-FICCS™ KIT
DESERT TAN



(Stackable, with removable tray)


Product #: 075 CLASS 9	Name: LOC-FICCS™ KIT DESERT TAN	NSN: 8145016008895
UOI: Kit	Type: Cargo Container System	Patent #:
<p>Kit Footlocker, Aluminum Container, 37x22.5x21 inches. LOC-FICCS™ Kit is a lightweight, deployable, reusable system; it is weather resistant and each footlocker weighs 70 lbs. empty plus 57 lbs. per TL-FICCS™ pallet and corrugated plastic sleeve, total weight 200 lbs.</p> <p>Color: 686 Desert Tan #595-33446, Rex #: UHS2-20025, Urethane.</p>		

PRODUCT NUMBER: 081

NSN: 8145-01-600-8762

OSHKOSH PN: 4746932

**COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT LARGE
DESERT TAN**



Product #: 081 CLASS 9	Name: COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT LARGE – DESERT TAN	NSN: 8145016008762
UOI: Kit	Type: Cargo Container System	Patent #:
<p>The Kit consists of 5 aluminum tables, and 10 aluminum benches, and one TL-FICCS™ pallet kit and corrugated plastic sleeve. The collapsed dimensions for shipment are 48x40x32 inches. The total weight for the kit is 515 pounds. 5 tables weigh 235 pounds, 10 benches weigh 220 pounds and the TL-FICCS™ weighs 60 pounds.</p> <p>Color: 686 Desert Tan #595-33446, Rex #: UHS2-20025, Urethane.</p>		

PRODUCT NUMBER: 087

NSN: 8145-01-600-8764

OSHKOSH PN: 4715997

**COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT SMALL
DESERT TAN**



Product #: 087 CLASS 9	Name: COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT SMALL – DESERT TAN	NSN: 8145016008764
UOI: Kit	Type: Cargo Container System	Patent #:
<p>The Kit consists of 2 aluminum tables, 4 aluminum benches, one AL-FICCS™ pallet kit with a corrugated plastic sleeve.</p> <p>The collapsed dimensions for shipping are 48x40x21.50 inches. The total weight for the kit is 242 pounds. 2 tables weigh 94 pounds, 4 benches weigh 88 pounds and the TL-FICCS™ weighs 60 pounds.</p> <p>Color: 686 Desert Tan #595-33446, Rex #: UHS2-20025, Urethane.</p>		

PRODUCT NUMBER: 100

NSN: 8145-01-598-3639

OSHKOSH PN: 4070612

**ALTERNATE LIGHTWEIGHT FLEXIBLE INTEGRATED
COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE**



Product #: 100 CLASS 9	Name: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM AL-FICCS™ STACKABLE	NSN: 8145015983639
UOI: Kit	Type: Cargo Container System	Patent #:
<p>Kit, AL-FICCS™ is 48x40x12 inches. The kit consists of 5 containers. It is ideal for the Military/DHS/FEMA for short or long term indoor storage and outside storage under adverse conditions. The usable area within the container is 10.5 inches in height or 11.6 cubic feet. This kit is a lightweight, deployable, reusable collapsible system. It is weather-resistant, 100% plastic. The container weighs 47.5 lbs. empty with straps. The Kit has a total weight of 237.5 lbs. It is designed for use with straps and is stackable inside a standard-sized MILVAN (15 Kits, 75 containers) filling a MILVAN with no blocking or bracing required. This kit can be placed in most of the "Intermodal" containers. This kit can be sling loaded with the proper straps applied. This System is designed to carry up to 200 lbs. of cargo over any terrain and is rated at 1,500 lbs. floor storage. Each kit contains 10 pallets, 5 collapsible sleeves, and 20 Straps. The System is 100% recyclable and four directions forklift accessible.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 019: CARGO/AMMO BELT (12 INCHES WIDE X 155 INCHES LONG) • P/N 106: AL-FICCS™ LINER • P/N 107: AL-FICCS™ LINER KIT 		

PRODUCT NUMBER: 101
NSN: 8145-01-598-3638
OSHKOSH PN: 4070611

**CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED
COLLAPSIBLE CONTAINER SYSTEM
(CL-FICCS™) STACKABLE**

Now includes Cam Buckle Straps



Single

Stacked

15 Container Kit

Product #: 101 CLASS 9	Name: CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE	NSN: 8145015983638
UOI: Kit	Type: Cargo Container System	Patent #:
<p>Kit, CL-FICCS™ is 48x40x30 inches. The kit consists of 15 containers. It is ideal for the Military/DHS/FEMA for short or long term indoor storage. The usable area within the container is 21 inches in height or 37 cubic feet. This kit is a lightweight, deployable, reusable collapsible system. It weighs 40 lbs. The kit weighs 600 lbs. It is stackable inside a standard-sized MILVAN (2 Kits, 30 containers) filling a MILVAN with no blocking or bracing required. This container can be placed in most of the "Intermodal" containers. It can be sling loaded. This System is designed to carry up to 500 lbs. of cargo over any terrain and is rated at 2,000 lbs. floor storage. Each Kit contains 30 pallets and 15 collapsible sleeves. The System is 100% recyclable and four directions forklift accessible.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 102: PROTECTIVE PALLET COVER HEAVY DUTY FOR PALLETIZED SUPPLIES • P/N 103: PROTECTIVE PALLET COVER KIT HEAVY DUTY FOR PALLETIZED SUPPLIES • P/N 104: TL-FICCS™ LINER • P/N 105: TL-FICCS™ LINER KIT 		

PRODUCT NUMBER: 103
NSN: 3990-01-609-7355
OSHKOSH PN: 4716002
UNIVERSAL PROTECTIVE PALLET COVER KIT HEAVY DUTY
FOR PALLETIZED SUPPLIES



Compatible with: TL-FICCS, AL-FICCS, CL-FICCS, SURE-PAK, UNI-PAC, G-PAK, Mule Pac, Tri-Wall, & Kicker-Box's

Product #: 103 CLASS 9	Name: PROTECTIVE PALLET COVER KIT HEAVY DUTY FOR PALLETIZED SUPPLIES	NSN: 3990016097355
UOI: Kit	Type: Cargo Container System Accessory	Patent #:
<p>The Kit consists of 12 pallet covers for unprotected, uncovered palletized supplies. Each cover is 53x45x55 inches; made from 12 oz. white vinyl, the rope is sewn in the bottom hem for draw tight securement, extending out two opposite corners; 12, #4 spur grommets in the bottom hem for alternate securement, 3 grommets per side.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 054: TL-FICCS™ 48/40/30 INCHES STACKABLE COLLAPSIBLE • P/N 100: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE • P/N 101: CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 105
NSN: 8145-01-609-7492
OSHKOSH PN: 4715996
TL-FICCS™ LINER KIT



Product #: 105 CLASS 9	Name: TL-FICCS™ LINER KIT	NSN: 8145016097492
UOI: Kit	Type: Cargo Container System Accessory	Patent #:
<p>The Kit consists of 18 liners, each liner is 47x38x24 inches with covering top flaps 4 each; made from 6 oz. poly fabric (12 mil); 10 mil Coroplast removable floor liner (stiffener). Also works with the CL-FICCS™ P/N 101 (8145-01-598-3638).</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 054: TL-FICCS™ 48/40/30 INCHES STACKABLE COLLAPSIBLE • P/N 101: CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE 		


PRODUCT NUMBER: 107
NSN: 8145-01-609-7507
OSHKOSH PN: 4716000
AL-FICCS™ LINER KIT



Product #: 107 CLASS 9	Name: AL-FICCS™ LINER KIT	NSN: 8145016097507
UOI: Kit	Type: Cargo Container System Accessory	Patent #:
<p>The Kit consists of 7 liners, each liner is 47x38x12.5 inches with covering top flaps 4 each; made from 6 oz. poly fabric (12 mil); 10 mil Coroplast removable floor liner (stiffener).</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 100: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 108
NSN: 8145-01-600-8837
OSHKOSH PN: 4715995

G-100 CHAIN CONTAINER TIE-DOWN AND LIFT KIT



Product #: 108 CLASS 9	Name: G-100 CHAIN CONTAINER TIE-DOWN AND LIFT KIT	NSN: 8145016008837
UOI: Kit	Type: Cargo Strap-Tie-down System	Patent #:
<p>The Kit consists of Grade 100, 5/16-inch alloy chain using the Patented VATTS® System, break strength 28,500 lbs., 2 each per kit; 4 each ratchet type load binder with continuous take-up and infinite adjustment, with foldable handles; 4 each, 10-foot, 5/16-inch G-100 chains; 4 each, 20-foot, 5/16-inch G-100 chains; 4 each, 30-foot, 5/16-inch G-100 chains; all chains come with a cradle grab hook on each end. (Certified for Lifting)</p>		

PRODUCT NUMBER: 111
NSN: 8145-01-598-6103
OSHKOSH PN: 4070613
HIGH-PERFORMANCE LIGHTWEIGHT
VEHICLE RECOVERY STRAP,
27 FOOT WITH 2 EACH CROSBY® SHACKLES



Our most popular recovery strap for JLTV's and larger vehicles, complete kit only weighs 29 LBS

Product #: 111 CLASS 9	Name: HIGH-PERFORMANCE LIGHTWEIGHT VEHICLE RECOVERY STRAP, 27 FOOT WITH 2 EACH ALLOY SHACKLES	NSN: 8145015986103
UOI: Kit	Type: Container/Vehicle Recovery System	Patent #:
Kit includes a 2-inch round 27-foot long eye and eye round sling type strap with a protective Cordura jacket and wrapped eyes with a break strength of 106,000 lbs. There is 2, 2-inch screw pin anchor Crosby® shackles with a break strength of 125,000 lbs. (Certified for Lifting)		

PRODUCT NUMBER: 112
NSN: 5340-01-600-8877
OSHKOSH PN: 4716005
1 INCH MRAP RATCHET STRAP



Product #: 112 CLASS 9	Name: 1 INCH MRAP RATCHET STRAP	NSN: 5340016008877
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each ratchet strap is comprised of 1-inch black polyester webbing material and has a minimum break strength of 3,800 lbs.; it has a 4 foot long captivated lead with a fixed 1-inch snap hook with a minimum break strength of 5,000 lbs.; there are 5 floating double bar “D” rings on each leg; the “D” rings have a minimum break strength of 6,500 lbs.; The 4-foot strap is attached to a metal ratchet assembly with a minimum break strength of 3,333 lbs. at the other end is a 6-inch strap with a fixed 1-inch snap hook on the end with a minimum break strength of 5,000 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 113: 1 ¾ INCH MRAP RATCHET STRAP 		



PRODUCT NUMBER: 113
NSN: 8145-01-609-7333
OSHKOSH PN: 4716001
1 ¾ INCH MRAP RATCHET STRAP



Product #: 113 CLASS 9	Name: 1 ¾ INCH MRAP RATCHET STRAP	NSN: 8145016097333
UOI: Each	Type: Cargo Strap-Tie-down System	Patent #:
<p>Each ratchet strap is comprised of 1 ¾ inch polyester webbing material and has a minimum break strength of 6,800 lbs.; it has a 5 foot long captivated lead with a fixed 2-inch snap hook with a minimum break strength of 5,000 lbs.; there are 5 floating double bar "D" rings on each leg; the "D" rings have a minimum break strength of 6,500 lbs.; the other end of the lead is attached to a metal ratchet assembly with fixed open hook and a minimum break strength of 6,000 lbs.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> P/N 112: 1 INCH MRAP RATCHET STRAP 		

PRODUCT NUMBER: 114
NSN: 8145-01-598-3477
OSHKOSH PN: 4070614
FICCS™ PALLET KIT



Product #: 114 CLASS 9	Name: Flexible Integrated Collapsible Container System (FICCS) Pallet Kit	NSN: 8145015983477
UOI: Kit	Type: Container Systems	Patent #:
<p>The Kit consists of 14 pallets, each pallet weighs 17 lbs.; the individual pallets are 48x40x6 inches empty, the full kit dimensions are 48x40x32 inches. The pallets are components of the existing P/N 054 TL-FICCS™ (8145-01-562-9283), P/N 100 - AL-FICCS™ (8145-01-598-3639) and P/N 101 CL-FICCS™ (8145-01-598-3638). The Kits are stackable inside a standard-sized MILVAN (15 Kits, 30 containers) filling a MILVAN with no blocking or bracing required. The pallets are weather-resistant, 100% plastic, and 100% recyclable and four direction forklift accessible.</p> <p>Companion Products:</p> <ul style="list-style-type: none"> • P/N 054: TL-FICCS™ 48/40/30 INCHES STACKABLE COLLAPSIBLE • P/N 100: A LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (AL-FICCS™) STACKABLE • P/N 101: CORRUGATED LIGHTWEIGHT FLEXIBLE INTEGRATED COLLAPSIBLE CONTAINER SYSTEM (CL-FICCS™) STACKABLE 		

PRODUCT NUMBER: 115
NSN: PENDING

KINETIC VEHICLE RECOVERY AND TOW RIG: "36K BRUTE"
36,000LB BREAK STRENGTH, 25' LENGTH



Please request the NSN from DLA

Product #: 115 CLASS 9	Name: KINETIC VEHICLE RECOVERY AND TOW RIG (36Kx25'): 36,000LB BREAK STRENGTH, 25' LENGTH	NSN: REQUESTED & PENDING
UOI: Each	Type: Vehicle Recovery/Tow System	Rope Specification: MIL-DTL-24050E
<p>The Kinetic Vehicle Recovery and Tow Rig (36Kx25') designed for static and dynamic recovery of wheeled motor vehicles stuck in sand, mud, snow, or other mediums under a variety of conditions. The unique product characteristics enable a smaller vehicle to recover a larger vehicle. Using the ability to harness and energize potential energy properties in the recovery rigs, vehicular recovery from any terrain can be made successfully with less power and risks to operators and equipment. It also makes a great tow rig, using its shock load absorption characteristics.</p> <ul style="list-style-type: none"> Each kinetic recovery/tow rig includes a heavy-duty shoulder-carry bag and an instructional card. Attaching tow point hardware is not included. Refer to vehicle tow point recommendations and limits for the correct interface. NOT rated for overhead lifting. 		

PRODUCT NUMBER: 116
NSN: PENDING

KINETIC VEHICLE RECOVERY AND TOW RIG “59K BRUSHAND”
59,000LB BREAK STRENGTH, 25’ LENGTH



Please request the NSN from DLA

Product #: 116 CLASS 9	Name: KINETIC VEHICLE RECOVERY AND TOW RIG (59Kx25’): 59,000LB BREAK STRENGTH, 25’ LENGTH	NSN: REQUESTED & PENDING
UOI: Each	Type: Vehicle Recovery/Tow System	Rope Specification: MIL-DTL-24050E
<p>The Kinetic Vehicle Recovery and Tow Rig (59Kx25’) designed for static and dynamic recovery of wheeled motor vehicles stuck in sand, mud, snow, or other mediums under a variety of conditions. The unique product characteristics enable a smaller vehicle to recover a larger vehicle. Using the ability to harness and energize potential energy properties in the recovery rigs, vehicular recovery from any terrain can be made successfully with less power and risks to operators and equipment. It also makes a great tow rig, using its shock load absorption characteristics.</p> <ul style="list-style-type: none"> Each kinetic recovery/tow rig includes a heavy-duty shoulder-carry bag and an instructional card. Attaching tow point hardware is not included. Refer to vehicle tow point recommendations and limits for the correct interface. NOT rated for overhead lifting. 		

PRODUCT NUMBER: 117
NSN: PENDING

KINETIC VEHICLE RECOVERY AND TOW RIG “75K MAGNUM”
75,000LB BREAK STRENGTH, 25’ LENGTH



Please request the NSN from DLA

Product #: 117 CLASS 9	Name: KINETIC VEHICLE RECOVERY AND TOW RIG (75Kx25’): 75,000LB BREAK STRENGTH, 25’ LENGTH	NSN: REQUESTED & PENDING
UOI: Each	Type: Vehicle Recovery/Tow System	Rope Specification: MIL-DTL-24050E
<p>The Kinetic Vehicle Recovery and Tow Rig (75Kx25’) designed for static and dynamic recovery of wheeled motor vehicles stuck in sand, mud, snow, or other mediums under a variety of conditions. The unique product characteristics enable a smaller vehicle to recover a larger vehicle. Using the ability to harness and energize potential energy properties in the recovery rigs, vehicular recovery from any terrain can be made successfully with less power and risks to operators and equipment. It also makes a great tow rig, using its shock load absorption characteristics.</p> <ul style="list-style-type: none"> Each kinetic recovery/tow rig includes a heavy-duty shoulder-carry bag and an instructional card. Attaching tow point hardware is not included. Refer to vehicle tow point recommendations and limits for the correct interface. NOT rated for overhead lifting. 		

PRODUCT NUMBER: 118
NSN: PENDING

KINETIC VEHICLE RECOVERY AND TOW RIG “131K SUPERMAG”
131,000LB BREAK STRENGTH, 25’ LENGTH



Please request the NSN from DLA

Product #: 118 CLASS 9	Name: KINETIC VEHICLE RECOVERY AND TOW RIG (131Kx25’): 131,000LB BREAK STRENGTH, 25’ LENGTH	NSN: REQUESTED & PENDING
UOI: Each	Type: Vehicle Recovery/Tow System	Rope Specification: MIL-DTL-24050E
<p>The Kinetic Vehicle Recovery and Tow Rig (131Kx25’) designed for static and dynamic recovery of wheeled motor vehicles stuck in sand, mud, snow, or other mediums under a variety of conditions. The unique product characteristics enable a smaller vehicle to recover a larger vehicle. Using the ability to harness and energize potential energy properties in the recovery rigs, vehicular recovery from any terrain can be made successfully with less power and risks to operators and equipment. It also makes a great tow rig, using its shock load absorption characteristics.</p> <ul style="list-style-type: none"> Each kinetic recovery/tow rig includes a heavy-duty shoulder-carry bag and an instructional card. Attaching tow point hardware is not included. Refer to vehicle tow point recommendations and limits for the correct interface. NOT rated for overhead lifting. 		

Product Number: 119
NSN: PENDING
CROP VATTS® RATCHET STRAP 3 INCH X 30 FEET



Please request the NSN from DLA

Product #: 166 CLASS 9	Name: VERSA VATTS® RATCHET STRAP 3 INCH X 30 FEET	NSN: PENDING GSA: PENDING
UOI: Each	Type: Cargo Strap-Tiedown System	M3-M3A1 CROP WEB STRAP ASSEMBLY REPLACEMENT SPEC.
<p>Kit is comprised of 14 each, 3 inch polyester webbing material (color may vary with dye lots) with minimum break strength of 15,000 lbs. A 30 foot captivated lead with fixed 3 inch snap hook with a minimum break strength of 15,000 lbs. The end of the lead is attached to a metal ratchet assembly with minimum break strength of 10,000 lbs. and at the other end of the ratchet web material with a fixed 3 inch snap hook with minimum break strength of 15,000 lbs.</p> <ul style="list-style-type: none"> • Companion Products: • P/N 020: CARGO TIEDOWN CABLE (30,000 LBS BREAK STRENGTH) • P/N 059: VATTS® CARGO CHAIN TIEDOWN 5/16 INCH G70 WITH GRAB HOOK • P/N 036: VATTS® BAG STORAGE FOR KITS LARGE 		

Product Number: 120
NSN: PENDING
CROP VATTS® RATCHET STRAP KIT 3 INCH X 30 FEET



Please request the NSN from DLA

Product #: 167 CLASS 9	Name: VERSA VATTSS® RATCHET STRAP KIT 3 INCH X 30 FEET	NSN: PENDING GSA: PENDING
UOI: Kit	Type: Cargo Strap-Tiedown System Kit	M3-M3A1 CROP WEB STRAP ASSEMBLY REPLACEMENT SPEC.
<p>Each ratchet strap kit is comprised of fourteen (14) 3 inch polyester webbing material (color may vary with dye lots) with minimum break strength of 15,000 lbs. A 30 foot captivated lead with fixed 3 inch snap hook with a minimum break strength of 15,000 lbs. The end of the lead is attached to a metal ratchet assembly with minimum break strength of 10,000 lbs. and at the other end of the ratchet web material with a fixed 3 inch snap hook with minimum break strength of 15,000 lbs. Each kit has two (2) large black cargo carrying case, 1,000 D poly (Cordura) nylon, black web handles, with heavy duty zipper.</p> <ul style="list-style-type: none"> • Companion Products: • P/N 020: CARGO TIEDOWN CABLE (30,000 LBS BREAK STRENGTH) • P/N 059: VATTSS® CARGO CHAIN TIEDOWN 5/16 INCH G70 WITH GRAB HOOK 		



P/N	PPCS DESCRIPTION	NSN
001	MIL VATTS® CARGO STRAP TIEDOWN 1 ¼ INCH	8145-01-522-8338
002	HUM VATTS® CARGO STRAP TIEDOWN 1 INCH	8145-01-522-8339
003	HUM VATTS® RATCHET STRAP 1 INCH X 14 FEET	8145-01-522-8341
006	MIL VATTS® RATCHET STRAP 1 ¼ INCH X 20 FEET	8145-01-522-8342
007	VATTS® BAG STORAGE FOR KITS SMALL	8145-01-522-8343
008	HUM VATTS® CARGO STRAP TIEDOWN KIT SMALL 1 INCH	8145-01-522-8344
009	MIL VATTS® CARGO STRAP TIEDOWN KIT SMALL 1 ¼ INCH	8145-01-522-8345
010	HUM VATTS® CARGO STRAP TIEDOWN KIT LARGE 1 INCH	8145-01-524-7254
011	MIL VATTS® 1 ¼ INCH SAC KIT LARGE	8145-01-524-7288
012	VERSA VATTS® STRAP & CHAIN TIEDOWN KIT 2 INCH	8145-01-524-7258
013	VERSA VATTS® STRAP & CHAIN TIEDOWN KIT 4 INCH	8145-01-524-7259
014	E-TRACK KIT WITH CLIPS	8145-01-524-7266
015	VATTS® STRAPPING KIT FOR 20 FOOT MILVAN	8145-01-524-7267
016	VATTS® STRAPPING & E-TRACK KIT FOR 20 FOOT MILVAN	8145-01-524-7268
017	E-TRACK	8145-01-524-7270
018	E-TRACK CLIPS	8145-01-524-7272
019	CARGO/AMMO BELT (12 INCHES WIDE x 155 INCHES LONG)	8145-01-522-8348
020	CARGO TIEDOWN CABLE (30,000 LBS BREAK STRENGTH)	8145-01-522-8346
021	STRAP PROTECTOR 2 INCH CORDURA SLEEVE	8145-01-524-7273
022	STRAP PROTECTOR 3 INCH CORDURA SLEEVE	8145-01-524-7275
023	STRAP PROTECTOR 4 INCH CORDURA SLEEVE	8145-01-524-7276
024	STRAP PROTECTOR 4 INCH NYLON SLEEVE WITH VELCRO	8145-01-524-7277
025	STRAP PROTECTOR 4 INCH NYLON SLEEVE	8145-01-524-7280
026	STRAP PROTECTOR 2 INCH POLYPAD (HEAVY DUTY)	8145-01-524-7283
027	STRAP PROTECTOR 3 & 4 INCH POLYPAD (HEAVY DUTY)	8145-01-524-7285
028	MOLDED PLASTIC CORNER PROTECTOR	8145-01-524-7286
029	SPIDER VATTS® 8 LEG STRAP-TIEDOWN SYSTEM 1 INCH	8145-01-527-8734
030	SPIDER VATTS® 8 LEG STRAP-TIEDOWN SYSTEM 1 ¼ INCH	8145-01-527-8736
031	CARGO/AMMO BELT 3 INCHES WIDE x 108 INCHES LONG	8145-01-527-8737
032	CARGO/AMMO BELT 6 INCHES WIDE x 108 INCHES LONG	8145-01-527-8739
033	VATTS® STRAPPING & LIFTING SYSTEM KIT 1 INCH	8145-01-528-8026
034	VATTS® STRAPPING & LIFTING SYSTEM KIT 1 ¼ INCH	8145-01-528-8033
035	VERSA VATTS® STRAP & CHAIN TIEDOWN KIT 3 INCH	8145-01-529-4720
036	VERSA VATTS® BAG STORAGE FOR KITS LARGE	8145-01-529-4718
037	VERSA VATTS® STRAP & CHAIN TIEDOWN 2 INCH SNAP HOOK	8145-01-529-9608
038	MONO VATTS® RATCHET STRAP 2 INCHES x 27 FEET	8145-01-529-9610
039	MULTI VATTS® TIEDOWN WITH 2 RATCHETS 1 INCH	8145-01-529-9612
040	MULTI VATTS® TIEDOWN WITH 2 RATCHETS 2 INCH	8145-01-529-9615
041	MONO VATTS® TIEDOWN WITH 1 RATCHET 1 INCH	8145-01-529-9617
042	1 INCH x 6 FOOT LEAD WITH 1 INCH SNAP HOOK	8145-01-529-9624
043	1 INCH x 12 FOOT LEAD WITH 1 INCH SNAP HOOK	8145-01-529-9627
044	1 INCH 20 FOOT LEAD WITH 1 INCH SNAP HOOK	8145-01-529-9628
045	HUM VATTS® TIEDOWN 1 INCH SHORT WITH 1 INCH SNAP HOOK	8145-01-529-9633
046	HUM VATTS® TIEDOWN 1 INCH SHORT WITH 2 INCH SNAP HOOK	8145-01-529-9635
047	MIL VATTS® TIEDOWN 1 ¼ INCH SHORT WITH 2 INCH SNAP HOOK	8145-01-529-9636
048	POLY LOOP ANCHOR 13,000 LBS BREAK STRENGTH	8145-01-529-9638
049	CHAIN ANCHOR MASTER LINK 20,000 LBS BREAK STRENGTH	8145-01-529-9640
050	CHAIN ANCHOR GRAB HOOK 20,000 LBS BREAK STRENGTH	8145-01-529-9642
051	VEHICLE RECOVERY STRAP 2 INCH WITH SHACKLES	8145-01-533-5574
052	VEHICLE RECOVERY STRAP 3 INCH WITH SHACKLES	8145-01-533-5613
053	VEHICLE RECOVERY STRAP 4 INCH WITH SHACKLES	8145-01-533-5616
054	TL-FICCS™	8145-01-562-9283
055	SHELTER SYSTEM PROTECTIVE COLLAPSIBLE	8145-01-565-5546
056	VEHICLE RECOVERY QUICK CONNECT SHACKLE 2 INCH	8145-01-565-5535
057	VEHICLE RECOVERY QUICK CONNECT SHACKLE 3 INCH	8145-01-565-5526
058	SLING 4 LEG ADJUSTABLE 8 HOOKS	8145-01-565-5557
059	SLING 4 LEG NON-ADJUSTABLE 4 HOOKS	8145-01-565-5551
060	VEHICLE RECOVERY HEAVY DUTY 3 INCH ROUND SLING WITH 2 SHACKLES	8145-01-565-5519
061	VEHICLE RECOVERY HEAVY DUTY FLAT SLING 4 INCH THREE PLY	8145-01-565-5577
062	VATTS® CARGO CHAIN TIEDOWN 5/16 INCH G70 WITH MASTER LINK	8145-01-565-5589
063	VATTS® CARGO CHAIN TIEDOWN 5/16 INCH G70 WITH GRAB HOOK	8145-01-565-5583
069	FOOTLOCKER (LOC-FICCS™) DESERT TAN	8145-01-609-7576
075	LOC-FICCS™ KIT DESERT TAN	8145-01-600-8895
081	COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT LARGE DESERT TAN	8145-01-600-8762
087	COLLAPSIBLE INDUSTRIAL TABLE/BENCH KIT SMALL DESERT TAN	8145-01-600-8764
100	AL-FICCS™	8145-01-598-3639
101	CL-FICCS™	8145-01-598-3638
103	PROTECTIVE PALLET COVER KIT	8145-01-609-7355
105	TL-FICCS™ LINER KIT	8145-01-609-7492
107	AL-FICCS™ LINER KIT	8145-01-609-7507
108	G-100 CHAIN CONTAINER TIEDOWN AND LIFT KIT	8145-01-600-8837
111	HIGH-PERFORMANCE LIGHTWEIGHT VEHICLE RECOVERY STRAP, WITH SHACKLES	8145-01-598-6103
112	1 INCH MRAP RATCHET STRAP	8145-01-600-8877
113	1 ¼ INCH MRAP RATCHET STRAP	8145-01-609-7333
114	FICCS™ PALLET KIT	8145-01-598-3477